

KCA Laboratories

232 North Plaza Drive Nicholasville, KY 40356 +1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

6HO-APL0422-1

Sample ID: SA-220426-8829 Batch: Type: In-Process Materials

Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 04/29/2022 Completed: 05/17/2022





Summary

Cannabinoids

Date Tested 05/17/2022

Status Tested

ND Total Δ9-THC 90.1%

(6aR,9R,10aR)-HHC

99.0 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

| Analyte | LOD (%) | LOQ (%) | Result (%) | Result (mg/g) |
|---------------------------|------------|------------|---------------|------------------|
| CBC | 0.0095 | 0.0284 | ND | ND |
| CBCA | 0.0181 | 0.0543 | ND | ND |
| CBCV | 0.006 | 0.018 | ND | ND |
| CBD | T80Q.0 | 0.0242 | ND | ND |
| CBDA | 0.0043 | 0.013 | ND | ND |
| CBDV | 0.0061 | 0.0182 | ND | ND |
| CBDVA | 0.0021 | 0.0063 | ND | ND |
| CBG | 0.0057 | 0.0172 | ND | ND |
| CBGA | 0.0049 | 0.0147 | ND | ND |
| CBL | 0.0112 | 0.0335 | ND | ND |
| CBLA | 0.0124 | 0.0371 | ND | ND |
| CBN | 0.0056 | 0.0169 | ND | ND |
| CBNA | 0.006 | 0.0181 | ND | ND |
| Δ8-ΤΗС | 0.0104 | 0.0312 | ND | ND |
| $\Delta 8$ -THC acetate | 0.1 | -0.3 | 2.63 | 26.3 |
| Δ9-ΤΗС | 0.0076 | 0.0227 | ND | ND |
| Δ9-THC acetate | 0.1 | 0.3 | ND | ND |
| Δ9-ΤΗCΑ | 0.0084 | 0.0251 | ø ND € | ND |
| Δ9-THCV | 0.0069 | 0.0206 | ND | ND |
| Δ9-THCVA | 0.0062 | 0.0186 | ND | ND |
| (6aR,9R,10aR)-HHC | 0.1 | 0.3 | 0.706 | 7.06 |
| (6aR,9S,10aR)-HHC | 0.7 | 0.3 | ND | ND |
| (6aR,9R,10aR)-HHC acetate | 0.1 | 0.3 | 90.1 | 709 |
| (6aR,9S,10aR)-HHC acetate | F.O | . 0.3 | 5.63 | 56.3 |
| Total Δ9-THC | | | ND | ND |
| Total CBD | | | ND | ND |
| Total | | | 99.0 | 990 |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THC + 0.877 + Δ 9-THC; Total CBD = CBDA + 0.877 + CBD;

Generated By: Ryan Bellone Commercial Director Date: 05/17/2022

Tested By: Scott Caudill Senior Scientist Date: 05/17/2022





ISO/IEC 17025:2017 Accredited Accreditation #108651

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories can provide measurement uncertainty upon request.